

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	6	((("5982745") or ("5649091") or ("5812748")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 09:05
L5	12	("5387769" "5473599" "5490140" "5490252" "5692126" "5696763" "5781530").PN. OR ("5982745").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 06:42
L6	7	5 and configur\$6 and (detect\$4 same (error\$2 or failure\$2))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 06:50
L7	5	6 and (poll\$4 or monitor\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 06:51
L8	300	rout\$4 same cable\$2 same serial same link\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:36
L9	96	rout\$4 same cable\$2 same serial same link\$2 same modem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:08
L10	18	rout\$4 same cable\$2 same serial same link\$2 same modem same redund\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:09
L11	1	10 and (y near3 split)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:10
L12	1	10 and impedan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:10

L13	2	y-split same cable\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:10
L14	5	7 and serv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:19
L15	1303	(rout\$3 or switch\$2) same cable\$2 same serial same link\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:37
L16	3	(rout\$3 or switch\$2) near3 cable\$2 near3 serial near3 link\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:41
L17	6	(rout\$3 or switch\$2) near6 cable\$2 near6 serial near6 link\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:45
L18	0	14 and (serial near6 link\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:45
L20	3	14 and serial and link\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:49
L21	1	4 and serial and link\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:49

L22	0	4 and serial and link\$2 and cabl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:51
L23	0	4 and serial and cabl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:51
L24	0	4 and cabl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:51
L25	0	4 and cable\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:52
L26	4	14 and cable\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:42
L27	0	26 and TTL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:42
L28	1	26 and time and interval	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:43
S1	2	("20020038364").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/28 13:06

S2	4	((("20020038364") or ("20020010750")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/27 15:26
S3	8	baretzki.inv. with laurent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/28 13:10
S4	1548	(reinitializ\$9 or re-initializ\$9 or restar\$9 or re-start\$9 or reset\$9 or re-set\$9 or reactivat\$9 or re-activat\$9 or reenabl\$9 or re-enabl\$9) near4 (error or failure\$2 or defect\$9) same (device or apparatus or process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/28 13:15
S5	1	("5675723").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/28 13:27
S6	102	"5675723".URPN.	USPAT	OR	ON	2004/08/28 13:16
S7	1	((reinitializ\$9 or re-initializ\$9 or restar\$9 or re-start\$9 or reset\$9 or re-set\$9 or reactivat\$9 or re-activat\$9 or reenabl\$9 or re-enabl\$9) near4 (error or failure\$2 or defect\$9) same (device or apparatus or process)) and (standby or stand-by) and (poll\$9 adj message\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/28 13:53
S8	14	"5675723".URPN. and (failover or fail-over or switchover or switch-over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/29 09:35
S9	1	y-split adj cable\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:10
S10	9	((reinitializ\$9 or re-initializ\$9 or restar\$9 or re-start\$9 or reset\$9 or re-set\$9 or reactivat\$9 or re-activat\$9 or reenabl\$9 or re-enabl\$9) near4 (error or failure\$2 or defect\$9) same (device or apparatus or process)) and rout\$9 and (poll\$9 adj message\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/28 16:26

S11	18	(failover or fail-over or switchover or switch-over or takeover or take-over) near4 (device\$2 or system or server\$2 or client\$2 or workstation\$2) near4 (reset\$3 or reinitializ\$9 or reactivat\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/29 09:37
S12	9	((reinitializ\$9 or re-initializ\$9 or restar\$9 or re-start\$9 or reset\$9 or re-set\$9 or reactivat\$9 or re-activat\$9 or reenabl\$9 or re-enabl\$9) near4 (error or failure\$2 or defect\$9) same (device or apparatus or process)) and rout\$9 and (poll\$9 adj message\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/28 16:27
S13	0	((reinitializ\$9 or re-initializ\$9 or restar\$9 or re-start\$9 or reset\$9 or re-set\$9 or reactivat\$9 or re-activat\$9 or reenabl\$9 or re-enabl\$9) near4 (error or failure\$2 or defect\$9) same (device or apparatus or process)) and rout\$9 and (poll\$9 adj message\$2)) and router\$2 and server\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/29 09:35
S14	14	"5675723".URPN. and (failover or fail-over or switchover or switch-over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:18
S15	4	("5675723".URPN. and (failover or fail-over or switchover or switch-over)) and poll\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/29 09:37
S16	18	(failover or fail-over or switchover or switch-over or takeover or take-over) near4 (device\$2 or system or server\$2 or client\$2 or workstation\$2) near4 (reset\$3 or reinitializ\$9 or reactivat\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/29 09:38
S17	1	((failover or fail-over or switchover or switch-over or takeover or take-over) near4 (device\$2 or system or server\$2 or client\$2 or workstation\$2) near4 (reset\$3 or reinitializ\$9 or reactivat\$9)) and poll\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/29 09:38

S18	10	((failover or fail-over or switchover or switch-over or takeover or take-over) near4 (device\$2 or system or server\$2 or client\$2 or workstation\$2) near4 (reset\$3 or reinitializ\$9 or reactivat\$9)) and (poll\$8 or monitor\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/29 09:38
S24	6	((("5982745") or ("5649091") or ("5812748"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:22
S29	5	(master or server\$2) same (slave or client\$2) same (standby or stand-by) same bus same rout\$4 same device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:28
S30	1	S29 and poll\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:16
S31	7	configur\$4 same rout\$4 same (error\$2 or failure\$2 or malfunction\$4 or inactivat\$4 or deactivat\$4) same (standby or backup) same bus same (device\$2 or client\$2 or server\$2 or host\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:42
S32	4	configur\$4 same rout\$4 same (error\$2 or failure\$2 or malfunction\$4 or inactivat\$4 or deactivat\$4) same monitor\$5 same (standby or backup) same bus same (device\$2 or client\$2 or server\$2 or host\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:18
S36	1	S29 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:08
S37	3	S32 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 13:14

S38	25	("3623014" "4534025" "5313584" "5351041" "5377322" "5481456" "5594646").PN. OR ("5957985").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/25 15:11
S39	3	S38 and poll\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:17
S40	2	S39 and configur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:17
S43	2	S40 and (error\$2 or failure\$2 or malfunction\$4 or inactivat\$4 or deactivat\$4) and monitor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:19
S44	4	configur\$4 same rout\$4 same (error\$2 or failure\$2 or malfunction\$4 or inactivat\$4 or deactivat\$4) same monitor\$5 same (standby or backup) same bus same (device\$2 or client\$2 or server\$2 or host\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 13:14
S45	3	S44 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 13:15
S46	3	S45 and (internet\$3 or network\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 06:38